AN ISO 9001:2015,
ISO 14001:2015,
ISO 45001:2018 & CERTIFIED CO

Certificate No.: 305025090389E

SHRI SATYAM STEEL

SHRI SATYAM STEEL

Mfg. & Stockist in : Ferrous & Non-Ferrous Metals













SHRI SATYAM STEEL

SHRI SATYAM STEEL

Mfg. & Stockist in : Ferrous & Non-Ferrous Metals

COMPANY PROFILE

AN ISO 9001:2015,
ISO 14001:2015,
ISO 45001:2018 & CERTIFIED CO

Certificate No.: 305025090389E

SHRI SATYAM STEEL is a young dynamic company which was found in 2010 and quickly established itself as a leader in the international markets through its 2 core strategies namely: total quality and flexibility.

Behind **SHRI SATYAM STEEL** growth and success there is years of experience working in steel industry & closely monitoring our customer's demands. Exclusive technology, certified products, high quality standards and perfect customer's services: this is **SHRI SATYAM STEEL** a true performer in the global market and a reliable partner for its customers.

Any size any grade any quality at a competitive price in all forms: pipes, tubes, plates, flanges, fittings, bars & customized forgings, demonstrates our flexibility. Adherence to customer's delivery needs and complex technical specification demonstrates our total quality.

The unrivalled product portfolio is our core strength, with a strategic location in Mumbai; we seek to create a close long-term relationship with our clients. At the outset we aim to facilitate a smooth delivery. It is this overview of the whole process that creates reassurance, & more importantly, offers peace of mind.

And with continual ennancement programme, the company strives to maintain a market leading position through its research, investment & innovation.

Through our extensive experience in engineering, our aim is not only to meet client's needs but also to exceed their expectations and to totally delight them with our product and service quality.

Our Commitment : We are committed to :

Providing our clients with a full range of high quality products and services in various fields. Carrying out all aspects of our work to high level of professionalism and excellence. Providing qualitative workmanship.

Our Vision

We aspire to become the Indian Stainless Steel Pipe Industry's Benchmark by Delivering Superior Value Products to our Customers, through innovation and leadership in operational excellence.

Our Mission

Consistent with the vision and values of our founders, We strive to strengthen India's Industrial base through effective utilisation of staff and materials. The means envisaged to achieve this are cutting-edge technology, high productivity, being consistent with modern management practices, **SHRI SATYAM STEEL** recognises that honesty and integrity are essential ingredients of a strong and stable enterprise, profitability provides the main spark for economic activity.

Tel.: +91 22 6651 8748 / 6639 4396
Mob.: +91 93245 16688 | 96199 35739 • **Email :** meet2608jan@gmail.com

Tel.: +91 22 6651 8748 / 6639 4396
Mob.: +91 93245 16688 | 96199 35739
Email : meet2608jan@gmail.com

AN ISO 9001:2015,
ISO 14001:2015,
ISO 45001:2018 & CERTIFIED CO

Certificate No.: 305025090389E

CERTIFICATIONS



Certificate of Compliance

CE

We hereby declare that the technical files of all the items in each product group complies with the requirements of the Council Directive on **Construction Products (CPD/CPR)** Council Directive 89/106/EEC (CPD) / Regulation (EU) No 305/2011 (CPR)

Certificate No.: CE - 7061

Manufacturer : SHRI SATYAM STEEL

Address : GROUND FLOOR, 7, PLOT NO.24, 3 R K BUILDING, 8TH KHETWADI LANE, GIRGAON, MUMBAI, MAHARASHTRA, 400004, INDIA

Products : PIPES AND BARS, BUTT-WELD FITTINGS, FORGED FITTINGS, OUTLETS FLANGES IN STAINLESS STEEL, DUPLEX, SUPER DUPLEX, NICKEL ALLOY, CARBON STEEL AND ALLOY STEEL.

Complies with the requirements applicable to it

The quality system file has been assessed, approved and is subject to continuous surveillance according to the Council Directive on **Construction Products (CPD/CPR)** Council Directive 89/106/EEC (CPD) / Regulation (EU) No 305/2011 (CPR)

This certificate is issued under the following conditions:

1. It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design or type examination procedures, if requested.
2. The certificate remains valid until the manufacturing conditions or the quality systems are changed.
3. The certificate validity is conditioned by positive results or surveillance audits.

The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of conformity and compliance with all relevant EC Directives. The statement is based on a single evaluation of test report of one sample of above mentioned product. It does not imply an assessment of the whole production.

Validity of this certificate can be verified at www.ukcertifications.org.uk/verify

Date of Certification	3rd September 2025
1st Surveillance Audit Due	2nd September 2026
2nd Surveillance Audit Due	2nd September 2027
Certificate Expiry	2nd September 2028

Authorised Signatory



Certificate of Registration

This is to certify that

SHRI SATYAM STEEL

GROUND FLOOR, 7, PLOT NO.24, 3 R K BUILDING, 8TH KHETWADI LANE, GIRGAON, MUMBAI, MAHARASHTRA, 400004, INDIA

has been independently assessed by QRO and is compliant with the requirement of:

ISO 9001:2015

Quality Management System

For the following scope of activities:

TRADING, RESELLER AND EXPORTER OF PIPES AND BARS, BUTT-WELD FITTINGS, FORGED FITTINGS, OUTLETS FLANGES IN STAINLESS STEEL, DUPLEX, SUPER DUPLEX, NICKEL ALLOY, CARBON STEEL AND ALLOY STEEL.

Date of Certification: 3rd September 2025 — 2nd Surveillance Audit Due: 2nd September 2027
1st Surveillance Audit Due: 2nd September 2026 — Certificate Expiry: 2nd September 2028

Certificate Number: 305025090388Q

Head of Certification

Validity of this certificate is subject to annual surveillance audits to be done successfully on or before 365 days from date of the audit. In case surveillance audit is not allowed to be conducted, this certificate shall be suspended / withdrawn.
The Validity of this certificate can be verified at www.qrocert.org
This certificate of registration remains the property of QRO Certification LLP, and shall be returned immediately upon request.

India Office : QRO Certification LLP
142, IInd Floor, Avtar Enclave, Near Paschim Vihar West Metro Station, Delhi-110063, (INDIA)
Website : www.qrocert.org, E-mail : info@qrocert.org



Certificate of Registration

This is to certify that

SHRI SATYAM STEEL

GROUND FLOOR, 7, PLOT NO.24, 3 R K BUILDING, 8TH KHETWADI LANE, GIRGAON, MUMBAI, MAHARASHTRA, 400004, INDIA

has been independently assessed by QRO and is compliant with the requirement of:

ISO 14001:2015

Environmental Management System

For the following scope of activities:

TRADING, RESELLER AND EXPORTER OF PIPES AND BARS, BUTT-WELD FITTINGS, FORGED FITTINGS, OUTLETS FLANGES IN STAINLESS STEEL, DUPLEX, SUPER DUPLEX, NICKEL ALLOY, CARBON STEEL AND ALLOY STEEL.

Date of Certification: 3rd September 2025 — 2nd Surveillance Audit Due: 2nd September 2027
1st Surveillance Audit Due: 2nd September 2026 — Certificate Expiry: 2nd September 2028

Certificate Number: 305025090389E

Head of Certification

Validity of this certificate is subject to annual surveillance audits to be done successfully on or before 365 days from date of the audit. In case surveillance audit is not allowed to be conducted, this certificate shall be suspended / withdrawn.
The Validity of this certificate can be verified at www.qrocert.org
This certificate of registration remains the property of QRO Certification LLP, and shall be returned immediately upon request.

India Office : QRO Certification LLP
142, IInd Floor, Avtar Enclave, Near Paschim Vihar West Metro Station, Delhi-110063, (INDIA)
Website : www.qrocert.org, E-mail : info@qrocert.org



Certificate of Registration

This is to certify that

SHRI SATYAM STEEL

GROUND FLOOR, 7, PLOT NO.24, 3 R K BUILDING, 8TH KHETWADI LANE, GIRGAON, MUMBAI, MAHARASHTRA, 400004, INDIA

has been independently assessed by QRO and is compliant with the requirement of:

ISO 45001:2018

Occupational Health and Safety Management System

For the following scope of activities:

TRADING, RESELLER AND EXPORTER OF PIPES AND BARS, BUTT-WELD FITTINGS, FORGED FITTINGS, OUTLETS FLANGES IN STAINLESS STEEL, DUPLEX, SUPER DUPLEX, NICKEL ALLOY, CARBON STEEL AND ALLOY STEEL.

Date of Certification: 3rd September 2025 — 2nd Surveillance Audit Due: 2nd September 2027
1st Surveillance Audit Due: 2nd September 2026 — Certificate Expiry: 2nd September 2028

Certificate Number: 305025090390HS

Head of Certification

Validity of this certificate is subject to annual surveillance audits to be done successfully on or before 365 days from date of the audit. In case surveillance audit is not allowed to be conducted, this certificate shall be suspended / withdrawn.
The Validity of this certificate can be verified at www.qrocert.org
This certificate of registration remains the property of QRO Certification LLP, and shall be returned immediately upon request.

India Office : QRO Certification LLP
142, IInd Floor, Avtar Enclave, Near Paschim Vihar West Metro Station, Delhi-110063, (INDIA)
Website : www.qrocert.org, E-mail : info@qrocert.org

SHRI SATYAM STEEL

SHRI SATYAM STEEL

Mfg. & Stockist in : Ferrous & Non-Ferrous Metals



SHRI SATYAM STEEL

SHRI SATYAM STEEL

Mfg. & Stockist in : Ferrous & Non-Ferrous Metals

PRODUCT RANGE


AN ISO 9001:2015,
ISO 14001:2015,
ISO 45001:2018 & CERTIFIED CO

Certificate No.: 305025090389E

Pipe & Tubes




Sheets / Plates & Coils



Round Bar



Angle / Channel / Flat Bar



Buttweld Fittings



Forged Fittings



Tube Fitting & Fasteners



S S Instrument / Ferrule Fittings



Flanges



Tel.: +91 22 6651 8748 / 6639 4396
Mob.: +91 93245 16688 | 96199 35739 • **Email :** meet2608jan@gmail.com

ROUND BAR 17-4 Ph

SSV ALLOYS PVT LTD: MAHARASHTRA'S LEADING SUPPLIER OF 17-4PH ROUND BARS

Proudly serving Maharashtra, SSV Alloys Pvt Ltd stands as the premier supplier of 17-4PH round bars. Our commitment to quality and reliability makes us the preferred choice for obtaining top-notch stainless steel solutions in the region. Experience the unmatched expertise of SSV Alloys Pvt Ltd for all your 17-4PH round bar needs.

INTRODUCING 17-4 PH STAINLESS STEEL ROUND BARS: A ROBUST BLEND OF STRENGTH AND CORROSION RESISTANCE

17-4 PH stainless steel round bars stand as a versatile and sought-after choice in engineering applications that demand a remarkable balance between mechanical performance and corrosion resistance. Composed of approximately 17% chromium and 4% nickel, this precipitation-hardening martensitic stainless steel exhibits exceptional properties that can be tailored through precise heat treatments.

CHEMICAL COMPOSITION:

17-4 PH steel showcases a composition characterized by its alloying elements:
Chromium (Cr): 15-17.5%
Nickel (Ni): 3-5%
Copper (Cu): 3-5%
Columbium + Tantalum (Cb + Ta): 0.15-0.45%
Other elements such as manganese, silicon, carbon, phosphorus, and sulfur are limited to trace amounts to maintain desired properties.

MECHANICAL EXCELLENCE:

Tensile Strength: 1050-1250 MPa (152,000-181,000 psi)
Yield Strength: Approximately 850 MPa (123,000 psi) or higher Elongation: 10-15%
Hardness: Ranges from HRC 28-42, depending on the heat treatment condition.

SERVING INDUSTRIES INCLUDING

aerospace, automotive, medical equipment, and more.

SIZE RANGE AND MANUFACTURERS :

Our Source for a Wide Range of 17-4PH Round Bars in Bright and Black Finishes, Partnering with Renowned Manufacturers, with Heat Treatment Availability

At **SHRI SATYAM STEEL,** we take pride in offering an extensive selection of 17-4PH round bars in both bright and black finishes. Collaborating with esteemed manufacturers, we ensure that our range covers various sizes, catering to your specific requirements. Additionally, we provide the convenience of heat treatment options, further enhancing the versatility and customization of our stainless steel solutions. Trust in **SHRI SATYAM STEEL** for exceptional quality, precision, and heat-treated stainless steel products.







SHRI SATYAM STEEL

SHRI SATYAM STEEL

Mfg. & Stockist in : Ferrous & Non-Ferrous Metals

MANUFACTURING

EGAC Accredited
QMS Certification
CAB # 11068

Certificate No.: 305025090389E

AN ISO 9001:2015,
ISO 14001:2015,
ISO 45001:2018 & CERTIFIED CO

BUTTWELD / SOCKET WELD / THREADED FITTINGS / FLANGES & FASTENERS





This is to introduce ourselves as the most reliable outsourcing partners for manufacturing of buttwelding pipe fittings, socket weld, pipe fittings, flanges & tubular components in all kinds of steel. Our panel of experienced manufacturers ensures excellent quality fittings meeting exacting standards of National & International quality.

These Pipe Fitting are manufactured from ferrous metals such as Carbon Steel, Alloy Steel, Low Temperature Carbon Steel & Stainless Steel. Both Seamless and E.R.W. Pipe Fittings are Produced by our special manufacturing process involving either hot or cold forming. We are fully capable of manufacturing Pipe fittings made to customer's specifications in terms of type, dimensions, material & quantity under any third party inspection.

These Pipe Fittings are perfectly round, rugged, leak proof, corrosion resistant (Where ever required), meeting all the requirements to ASA / ASTM / BS / DIN / ISI codes. These quality fittings extend the life of piping systems, facilitate direct pipe welding, permit compact installations & reduce the space necessary for installing a piping network.





Tel.: +91 22 6651 8748 / 6639 4396
Mob.: +91 93245 16688 | 96199 35739 • **Email :** meet2608jan@gmail.com

PIPES & TUBES

Pipes

Stainless Steel & Duplex Steel Pipe

Size	:	½" to 30"
Schedule	:	Sch. 5 to Sch. XXS
Stainless Steel	:	ASTM A312, A358 - TP 304/304H/304L/316/316H/ 316L/316Ti/309/310/317/317L/321/347/904L
Duplex Steel	:	ASTM A790 - UNS S31803, S32750, S32760, S32205

Alloy Steel, Carbon Steel & LTCS Pipe

Size	:	1/2" to 36"
Schedule	:	Sch. 5 to Sch. XXS
Alloy Steel Pipe	:	ASTM A335 Gr. P5, P9, P11, P12, P22 & P91
Carbon Steel	:	ASTM A 106 Gr. B ASTM A53
Low Temp. Pipe	:	ASTM A 333 Gr. 6
Line Pipe	:	API 5L, X 42, 46, 52, 56, 60, 70
Mild Steel & Galvanized Pipe	:	IS 1239, IS 3589

Copper & Nickel Alloys pipe

Size	:	½" NB to 10" NB
Standard	:	10S/40S/80S
Copper Nickel	:	C70600 (90:10), C71500 (70:30), C71640
Nickel	:	UNS N02200, N02201
Monel	:	UNS N04400, N05500, Alloy 20
Inconel	:	UNS N06600, N06601, N06625, N08800, N08810, N08825
Hastelloy	:	UNS N10276, N06022, N10665, N06455

Tubes

Size	:	6 mm OD to 219.08 mm OD
Thickness	:	0.6mm-10mm-Gauge : 22 SWG/BWG to 10 SWG/BWG
Form	:	Round, Square, Rectangle, Coil, 'U' Shap
Length	:	Standard Length & Cut Length
Stainless Steel Tube	:	ASTM A-213, A-249, A269-TP 304/304H/304L, 316/316H/316L/316Ti, TP 309, 310, 317L, 321, 347, 904 L etc.
Duplex Steel	:	ASTM A790 - UNS S31803, S32750, S32760, S32205
Low Alloy Steel Tube	:	ASTM A 213 - T-11, T-12, T-22, T-5, T-9 etc.
Carbon Steel Tube	:	BS 3059 Gr. 360 / 440, SA 179, SA / ASTM A210 Gr. A1
Copper Nickel Tube	:	ASTM B111, C70600 (90.10), C71500 (70:30), C71640
Admiralty Brass Tube	:	ASTM B 111 C44300, C44400, C44500, C68700
Copper & Brass Tube	:	ASTM B 188 C11000, C12200, C26000, C27000, C28000
Nickel Alloy Tube	:	Nickel, Monel, Inconel, Alloy 20 etc.
Specialize	:	Capillary Tube, IBR Tubes, Copper Nickel Tube

Type :- Round | Square | Rectangle | Hydraulic

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®
are Registered Trade Marks of their Respective Owners.



SHRI SATYAM STEEL

SHRI SATYAM STEEL

Mfg. & Stockist in : Ferrous & Non-Ferrous Metals



SHRI SATYAM STEEL

SHRI SATYAM STEEL

Mfg. & Stockist in : Ferrous & Non-Ferrous Metals

ROUND BAR, HEX, SQUARE,

AN ISO 9001:2015,
ISO 14001:2015,
ISO 45001:2018 & CERTIFIED CO

Certificate No.: 305025090389E

WELDING FILLER WIRE

Size :

Bright Bars	:	from 5mm Dia upto 350mm Dia
Black Bars	:	from 16mm Dia upto 350mm Dia
Square Bars	:	from 5mm Dia upto 250mm Dia
Hex Bars	:	from 5mm Dia upto 150mm Dia
Wires	:	0.1mm Dia to 5mm Dia

Welding Filler Wire :

Nickel Alloys	:	201/200
Monel Alloy	:	400/K-500
Inconel	:	600, 601, 625, 825, 800 / 800H/ 800HT
Hastalloy	:	C22, C276, B-2000
Titanium	:	Gr. 1, 2, 5, 7, Tantalum SMO 254, Alloy - 904L, Alloy 20, Alloy 330, etc.
Types	:	Elbow, Tee, Reducer, Cap, Return Bends, Stub-Ends, Collar, Cross, Insert etc.
Size	:	1/4" NB to 4" NB.
Class	:	3000#, 6000#, 9000#.

Specification :

Condition	:	Rolled, Forged, Annealed, Picked, Hot Rolled, Cold Roll

Grades :

Stainless Steel	:	304/304, 316/316L/316Ti, 321, 310/310S, 317/317L, 347, 17-4 Ph. 15-5Ph, 904L, 410, 420, 430, 431, 430F, 416, 440C etc.
		Copper, Brass, Aluminium, Hastalloy, Titanium, Monel, Inconel, Nickel, etc.
Duplex Steel	:	UNS 31803, UNS 32205, UNS 32760
Alloy Steel	:	F5, F9, F11, F22, F91
		Carbon Steel, Mild Steel, Boiler Quality Plates
Specification	:	ASTM, AISI, ASME, DIN, UNS etc.

SHRI SATYAM STEEL

Tel.: +91 22 6651 8748 / 6639 4396
Mob.: +91 93245 16688 | 96199 35739 • **Email :** meet2608jan@gmail.com

SHEETS, PLATES & COILS

Stainless Steel & Duplex Steel

Stainless Steel : ASTM A240 304/304L/316/316L/316Ti/ 309/310/317/317L/321/347/409/410/ 430/904L/SMO 254 / AL6XN

Duplex & Super Duplex : Standard
ASTM A240 - UNS S31803/S32205 (2205)
Lean
ASTM A240 - UNS S32304 (2304)
Super Duplex
ASTM A240 - UNS S32750 (2507)
ASTM A240 - UNS S32760 (Zeron 100)

Quenched & Tempered

ASTM A537 CL.1 & 2

Boiler Quality

SA 516 Gr. 70

Hardox

Hardox 400 / 500

Hi-Nickel & Titanium

Hi-Nickel

Nickel : ASTM B162 N02200, N02201

Inconel : ASTM B 168 N06600, N06601, N06617
ASTM B 670 N07718
ASTM B 443 N06625

Incoloy : ASTM B 409 N08800, N08810
ASTM B 424 N08825
ASTM B 462 N08020

Hastelloy : ASTM B 575 N10276, N06022
ASTM B 333 N10665

Titanium

Commercially Pure : ASTM B 265
Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3)
Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1)
Gr.7 R 52400 Gr.11 R 52250

Alloys : ASTM B 265
Gr.5 R 56400 (6Al-4V)
Gr.23 R 56401 (6Al-4V-ELI), Gr.12 R 53400

Alloy Steel, Carbon Steel / Mild Steel

Alloy Steel Pipe : ASTM A387 Gr. 11, 12, 22, 5, 91 (CL 1/2)

Carbon Steel : ASTM A 36
S275 JR
IS 2062 Gr. A/B

Aluminium

ASTM B 928
5083 (A95083), 5086 (A95086),
5052 (A95052) T6061 (A96061)

Spring Steel Coils

CR C55, C80, C62, C45

Cupro Nickel

ASTM B171 C70600 (90:10), C71500 (70:30)

Monel

ASTM B127 N04400, DIN N05500

Size

Sheets : 0.8mm to 4mm thk. in 1000 upto 2000 mm Width & 2000 upto 6000 Length

Plates : 5mm to 100 mm thk. In 1000 upto 2000 mm Width & 2000 upto 8000 Length

Coils : 0.1 mm thk. to 12mm thk. in 10mm upto 1500 Width

Foils : 0.01 mm thk. to 0.3 mm thk. in any width


Strips : 1mm thk. to 100 mm thk. in 10 mm upto 900 mm Width & 1000 upto 6000 Length

Finish

HR No.1, 2B, BA, Matt, Matt+1 side PVC, BA + 1side PVC, Chequered

Specializing in:
Stainless Steel Series, Hardox 400/500

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex® are Registered Trade Marks of their Respective Owners.



SHRI SATYAM STEEL

SHRI SATYAM STEEL

Mfg. & Stockist in : Ferrous & Non-Ferrous Metals



SHRI SATYAM STEEL

SHRI SATYAM STEEL

Mfg. & Stockist in : Ferrous & Non-Ferrous Metals

BUTTWELD FITTINGS

AN ISO 9001:2015,
ISO 14001:2015,
ISO 45001:2018 & CERTIFIED CO

Certificate No.: 305025090389E

Stainless Steel & Duplex Steel

Stainless Steel	:	ASTM A 403 WP - 304/304H/304L/316/316H 316/316Ti, 309, 310, 317L, 321, 347, 904L
Duplex & Super Duplex	:	Standard ASTM A815 - UNS S31803, S32205 (2205) Lean ASTM A815, 790 - UNS S32304 (2304) Super Duplex ASTM A815, 790 - UNS S32750 (2507) UNS S32760 (Zeron 100)

Hi-Nickel & Titanium

Hi-Nickel

Cupro Nickel	:	ASTM B 171 C70600 (90:10), ASTM B 171 C71500 (70:30)
Nickel	:	ASTM B 366 N02200, N02201
Monel	:	ASTM B 366 N04400, DIN N05500
Inconel	:	ASTM B 366 N06600, N06601, N06617 ASTM B 366 N07718 ASTM B 366 N06625
Incoloy	:	ASTM B 366 N08800, N08810 ASTM B 366 N08825 ASTM B 366 N08020
Hastelloy	:	ASTM B 366 N10276, N06022 ASTM B 366 N10665 ASTM B 366 N06455

Types

Stubend - (Long & Short)	Elbow (45 DEG, 90 DEG, 180 DEG)
U Bend	Tee - (Barred, Equal, Reducing)
End Cap	Reducer - (Concentric & Eccentric)
Laterals	Nipple - (Swage & Barrel)

Alloy Steel & Carbon Steel

Alloy Steel	:	ASTM A 234 WPB WP5, WP9, WP11, WP12, WP91
Carbon Steel	:	ASTM A 234 WPB, IS 1239 PART II
Low Temp. CS	:	ASTM A-420 WPL6
Other Service	:	Hot Dip Galvanizing, Sand Blasting

Cupro Nickel

ASTM B 171 C70600 (90:10),
ASTM B 171 C71500 (70:30)

Titanium

Commercially Pure	:	ASTM B 363 Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3) Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1) Gr.7 R 52400 Gr.11 R 52250
Alloys	:	ASTM B 363 Gr.5 R 56400 (6Al-4V) Gr.23 R 56401 (6Al-4V-ELI) Gr12 R 53400

Monel

ASTM B 366 N04400
DIN N05500

Size

Pipes	:	½" to 30"
Schedule	:	Sch. 5 to Sch. XXS

Specializing in:

Hi-Nickel & Stainless Steel Series

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®
are Registered Trade Marks of their Respective Owners.

Tel.: +91 22 6651 8748 / 6639 4396
Mob.: +91 93245 16688 | 96199 35739 • **Email :** meet2608jan@gmail.com

FORGED FITTINGS

Size

Size : 15NB To 100NB (Socket Weld & Threaded)
Class : 3000#, 6000#, 9000#, In ANSI B 16.11

Stainless Steel & Duplex Steel

Stainless Steel : ASTM A 182F - 304/304H/304L/316/316H
316/316Ti, 309, 310, 317L, 321, 347, 904L

Duplex & Super Duplex : ASTM A 182 - F51, F53, F55

Hi-Nickel & Titanium

Hi-Nickel

Nickel : ASTM B 564 N02200, N02201
Inconel : ASTM B 564 N06600, N06601, N06617
ASTM B 564 N07718
ASTM B 564 N06625
Incoloy : ASTM B 564 N08800, N08810
ASTM B 564 N08825
ASTM B 564 N08020
Hastelloy : ASTM B 564 N10276, N06022
ASTM B 564 N10665
ASTM B 564 N06455

Types

- Elbow (45 & 90 Deg)
- Tee
- Union
- Cross
- Swage Nipple
- Coupling
- Cap
- Plug
- Bushing
- Boss

Titanium

Commercially Titanium Pure : ASTM B 381
Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3)
Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1)
Gr.7 R 52400 Gr.11 R 52250

Titanium Alloys : ASTM B 381
Gr.5 R 56400 (6Al-4V)
Gr.23 R 56401 (6Al-4V-ELI)
Gr.12 R 53400

Cupro Nickel

ASTM B 171 C70600 (90:10),
ASTM B 171 C71500 (70:30)

Monel

ASTM B 564 N04400
DIN N05500

Alloy Steel & Carbon Steel

Alloy Steel : ASTM A 234 WPB WP5, WP9, WP11, WP12, WP91
Carbon Steel : ASTM A 234 WPB, IS 1239 PART II
Low Temp. CS : ASTM A-420 WPL6
Other Service : Hot Dip Galvanizing, Sand Blasting

Specializing in:
Hi-Nickel & Stainless Steel Series

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®
are Registered Trade Marks of their Respective Owners.



SHRI SATYAM STEEL
SHRI SATYAM STEEL
Mfg. & Stockist in : Ferrous & Non-Ferrous Metals



SHRI SATYAM STEEL

SHRI SATYAM STEEL

Mfg. & Stockist in : Ferrous & Non-Ferrous Metals

TUBE FITTING & FASTENERS

AN ISO 9001:2015,
ISO 14001:2015,
ISO 45001:2018 & CERTIFIED CO

Certificate No.: 305025090389E

TUBE FITTING

Size	:	1/16" to 2½"
Type	:	Union tee, Female tee, Branch tee, Run tee, Male connector, Female connector, Elbow, 3 Bulk Head Union, Reducing Union, OD Cap, OD plug,.
SS Tube fittings	:	Gr. 304, 304H, 309, 310, 316, 316L, 317L, 347, 321, 904L
Duplex S S Tube Fittings	:	UNS N031803, N032750, N032760
CS Tube Fittings	:	A105
AS Tube Fittings	:	Gr. 5, Gr.9, Gr.11, Gr.12, Gr.22, Gr.91
Cu Ni Tube Fittings	:	C 70600 (90:10), C71500 (70:30)
Nickel	:	UNS N02200, N02201
Monel	:	UNS N04400, N05500, Alloy 20
Inconel	:	UNS N06600, N06601, N08800, N08810, N08825
Hastelloy	:	UNS N10276, N06022, N10665, N06455
Other Services	:	Silver Plating
Specialize	:	Double compression fitting, Ball Valve, Needle, Check.



FASTENERS

Material	:	Stainless Steel / Duplex / Super Duplex / Nickel Alloy / Carbon Steel / Alloy Steel
Standard	:	ASTM / ASME / ANSI / AISI / DIN
Grade	:	202, 304L, 316L, 317L, 321, 347, 310, 410, 420, 904L, 2205, 2507, Monel, Inconel, Hastelloy, Titanium etc.
Types	:	Bolts, Nuts, Washers, Anchor Fasteners, Stud Bolts, Eye Bolt, Stud, Threaded Rod, Cotter Pin, Socket Screw, Fine Fasteners & Spares etc.
Size	:	M2 to M100

Types

- Union tee
- Female tee
- Branch tee
- Run tee
- Male Connector
- Female Connector
- Elbow
- Bulk head union
- Reducing union
- OD cap
- OD plug

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex® are Registered Trade Marks of their Respective Owners.

Tel.: +91 22 6651 8748 / 6639 4396
Mob.: +91 93245 16688 | 96199 35739 • **Email :** meet2608jan@gmail.com

STRUCTURAL STEEL

We Can Offer You Wide Variety Of Structural Steel For Your Regular Needs For Maintenance, Construction As Well As Development Of New Projects. With Tie Ups With Majority Of Manufactures We Can Offer Steel From Prime Manufacturers Like Sail / Vizag / Jindal / Tisco As Well As From Secondary Rolling & Re Rolling Manufacturers. We Offer Following Product In Our Range Of Structural Steel: mild Steel Structural.

SS / MS Angles

Grade:- IS 2062
Product Range:- The following are the sizes available.
25 x 25 x 3/5, 35 x 35 x 5, 40 x 40 x 5/6, 45 x 45 x 4/5/6,
50 x 50 x 5/6, 60 x 60 x 6/8, 65 x 65 x 6/8/10, 75 x 75 x 6/8/10,
80 x 80 x 6/8, 90 x 90 x 6/8/10,100 x 100 x 6/8/10/12,
110 x 110 x 8/10/12, 130 x 130 x 10/12, 150 x 150 x 10/12,
150 x 150 x 16/20 200 x 200 x 16/20
All the above mentioned sizes are in mm.

SS / MS Beam

Light, Medium, Standard
Grade:- IS 2062
Product Range:- The following are the sizes available.
100 x 50, 125 x 70,150 x 75, 175 x 85, 200 x 100 , 250 x 125,
300 x 140, 350 x 140, 400 x 150, 450 x 150, 500 x 180, 600 x 210.
All the above mentioned sizes are in mm

TMT Bars

We have a wide range of TMT Re Bars which are available in various types & from Various Primary & Secondary Maufacturers. Above Material can be offered in Grades Like FE 415 / FE 500 With Manufacturing Test certificate.

SS / MS Channel

Grade : - IS 2062
Product Range:- The following are the sizes available.
75 x 40, 100 x 50, 125 x 75, 150 x 75, 175 x 75, 200 x 75,
250 x 80, 300 x 90, 350 x 100, 400 x 100.
All the above mentioned sizes are in mm

SS / MS Rounds Bars


Product Name:- Wire Rods
Grade:- Low Carbon - 5WR-14 / IS:2062 Gr. A
Product Range :- Diameters available (unit mm),
5mm to 250mm
All the above mentioned sizes are in mm
These are available in straight lengths (as mutually agreed).

SS / MS Flats

Available in size : 21 x 6 mm to 300 x 16 mm

SS / MS Square Bars

Available in size : 10 x 10 mm to 63 x 63 mm





SHRI SATYAM STEEL



SHRI SATYAM STEEL

SHRI SATYAM STEEL

Mfg. & Stockist in : Ferrous & Non-Ferrous Metals

FLANGES

AN ISO 9001:2015,
ISO 14001:2015,
ISO 45001:2018 & CERTIFIED CO

Certificate No.: 305025090389E

Stainless Steel & Duplex Steel

Stainless Steel	:	ASTM A 182F - 304/304H/304L/316/316H 316/316Ti, 309, 310, 317L, 321, 347, 904L
Duplex & Super Duplex	:	ASTM A 182 - F51, F53, F55

Alloy Steel, Carbon Steel & LTCS Pipe

Alloy Steel	:	ASTM A 234 WPB WP5, WP9, WP11, WP12, WP91
Carbon Steel	:	ASTM A 234 WPB, IS 1239 PART II
Low Temp. CS	:	ASTM A-420 WPL6
Other Service	:	Hot Dip Galvanizing, Sand Blasting

Hi-Nickel & Titanium

Hi-Nickel

Nickel	:	ASTM B 564 N02200, N02201
Inconel	:	ASTM B 564 N06600, N06601, N06617 ASTM B 564 N07718 ASTM B 564 N06625
Incoloy	:	ASTM B 564 N08800, N08810 ASTM B 564 N08825 ASTM B 564 N08020
Hastelloy	:	ASTM B 564 N10276, N06022 ASTM B 564 N10665 ASTM B 564 N06455

Titanium

Commercially Pure	ASTM B 381 Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3) Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1) Gr.7 R 52400 Gr.11 R 52250
Alloys	ASTM B 381 Gr.5 R 56400 (6Al-4V) Gr.23 R 56401 (6Al-4V-ELI) Gr12 R 53400

Cupro Nickel & Monel

Copper Nickel	:	ASTM B171 C70600 (90:10), ASTM B171 C71500 (70:30)
Monel	:	ASTM B127 N04400 DIN N05500
Size	:	1/2"NB to 48"NB, ANSI B 16.5
Class	:	150#, 300#, 600#, 900#, 1500#, 2500#, in ASA 150 & ASA 300

Types

Weldneck	Screwed / Threaded
Socketweld	Long Weldneck
Slip on	Lapped Joint
Blind	Spectacle Blind

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex® are Registered Trade Marks of their Respective Owners.

Tel.: +91 22 6651 8748 / 6639 4396
Mob.: +91 93245 16688 | 96199 35739 • **Email :** meet2608jan@gmail.com



AN ISO 9001:2015,
ISO 14001:2015,
ISO 45001:2018 & CERTIFIED CO

Certificate No.: 305025090389E

S S INSTRUMENTAL

FERRULE FITTINGS


Union Elbow


Male Elbow


Female Elbow


Union Tee


Male Run Tee


Male Branch Tee


Female Run Tee


Female Branch Tee


Union Cross


45 Deg. Elbow


Tube end Closure


Bulk Head Elbow


Positionable Male Elbow


Nut Ferrule


Union


Reducing Union


Bulkhead Union


Male Connector


Female Connector


Male Adaptor

Syphon Tubes



Type : Stainless Steel 304 & 316 Gr. in U type, Trumpet Type (Pigtail & Coil Type)

Application : Connected between the pressure gauge & process in applications were high temperature above 65 Deg C for e.g., stream. These Syphon Tubes acts as a cooling coil and protects the gauge from high temperature vapors.

S. S. Tee / Elbow Ferrule Fittings

- S.S. Union Tee
- S.S. Male Branch Tee
- S.S. Female Branch Tee
- S.S. Male Elbow
- S.S. Cross
- S.S. Valve Body
- S.S. Union

S. S. Forged Tee / Elbow / Cross


MANIFOLD VALVE


CONDENSATE POT


S.S. FORGED BLIND HEX TEE


S.S. FORGED BLIND HEX ELBOW


S.S. ELBOW 45°


S.S. CROSS



SHRI SATYAM STEEL

SHRI SATYAM STEEL

Mfg. & Stockist in : Ferrous & Non-Ferrous Metals



SHRI SATYAM STEEL

SHRI SATYAM STEEL

Mfg. & Stockist in : Ferrous & Non-Ferrous Metals

QUALITY ASSURANCE

EGAC Accredited
Certificate No.: 305025090389E

AN ISO 9001:2015,
ISO 14001:2015,
ISO 45001:2018 & CERTIFIED CO

Our advanced inspection equipments and experienced quality control staff assure defective free products in accordance with users requirements.



CORROSION TEST

To ascertain the vulnerability of material to integranular attack ro to measure the rate of corrosion in adverse environment, corrosion testing as per ASTM A-262 Practice 'A, B', C', & E' is carried out in the company's lab.



EDDY CURRENT TEST

This is the non destructive test carried out to detect the surface defect / Pin Holes on the outside diameter or inside diameter of the tube.



CHEMICAL ANALYSIS

This test is done as per required quality.



MECHANICAL TESTING

Tensile 0.2% proof test hardness flare, flattering, flange and reverse- bend tests are carried out in full compliance as per various standards. The ensure trouble-free expansion, welding and use at customers end.



ULTRASONIC TEST

A high speed "Rotating Transducer" ultrasonic tube testing system operates in pulse-echo mode. Water immersion coupling is used for adequate and positive coupling of sound energy.
A multi channel ultrasonic processing is used for detection and recording of volumetric defect in tubes in longitudinal and transverse direction.

SHRI SATYAM STEEL

HYDROSTATIC TEST

Stainless Steel Tubes Pipes are compulsorily subjected to 100% hydro testing Hydrostatic testing can be carried out at pressure upto 450 kg/cm2. The test pressure is achieved using high pressure triple plunger pumps. if specified customers or their deputed inspection agencies can witness 100% testing at our plant.





VISUAL & DIMENSION INSPECTION

Inspection is carried out to detect any Dents, Surface Defect or Scratch on the surface tube. The Dimensional Inspection is carried out with calibrated measuring instruments for product dimensions are within tolerance requirements.

AIR UNDER PRESSURE TEST

Pipes are internally pressurized with clean and dry compressed air and being submerged in clear water to check any evidence of air leakage.





PMI TEST

Oxford Instruments make X-MET 5000 XRF analyser for PMI and Quality Control / Assurance



TENSILE TEST

This is the destructive test carried out to obtain the mechanical test values of finished products.

MICROSTRUCTURE ANALYSIS

Flaring test is carried out to check ductility of the material & Flange test is check the material under deformation.

DYE PENETRANT TEST

Dye Penetrant test is carried out on bend portion to detect cracks, flaws or any type of defects.

